



## Elderplan 2012 Step Therapy List

DRUG NAME	Step Therapy Requirement
ACTONEL	must have tried and failed any alendronate products
ATELVIA	must have tried and failed any of alendronate products
AVANDAMET	must have tried and failed one of the following formulary alternatives : Actos, Actoplus Met, Actosplus Met XR, and Duetact
AVANDARYL	must have tried and failed one of the following formulary alternatives : Actos, Actoplus Met, Actosplus Met XR, and Duetact
AVANDIA	must have tried and failed one of the following formulary alternatives : Actos, Actoplus Met, Actosplus Met XR, and Duetact
BONIVA	must have tried and failed any alendronate products
CADUET	must have previously been on amlodipine and tried and failed any one of the following formulary statins in tier 1: lovastatin, simvastatin, and pravastatin
CELEBREX	must have tried and failed any of tier 1 NSAIDs. Tier 1 NSAIDs are : diclofenac, etodolac, etodolac er, fenoprofen, flurbiprofen, ibuprofen, ketoprofen, ketoprofen er, meloxicam, nabumetone, naproxen, naproxen dr, oxaprozin, piroxicam, sulindac, and tolmetin.
CRESTOR	must have tried and failed any one of the following formulary statins in tier 1: pravastatin, lovastatin, or simvastatin
KADIAN	must have tried and failed a generic morphine sulfate products.
LEXAPRO	must have tried and failed any one of the following formulary alternatives: sertraline, citalopram, fluoxetine, paroxetine, and venlafaxine
LIPITOR	must have tried and failed any one of the following formulary statins in tier 1: pravastatin, lovastatin, or simvastatin
LUNESTA	must have tried and failed zolpidem
NEXIUM	must have tried and failed omeprazole or pantoprazole
OXYCONTIN 80MG	must have tried and failed a generic morphine sulfate products.
TEKTURNA and TEKTURNA HCT	must have tried and failed any one drug from each class of Angiotensin Converting Enzyme Inhibitors (ACEI) AND Angiotensin II Receptor Antagonists (ARBs). Formulary ACEI are: enalapril, lisinopril, benazepril, fosinopril, captopril, ramipril, and quinapril. Formulary ARBs are: Diovan/ Diovan HCT, Losartan/ losartan with HCTZ, Micardis/ Micardis HCT and Avapro/ Avalide
VYTORIN	must have tried and failed any one of the following formulary statins in tier 1: pravastatin, lovastatin, or simvastatin

**last updated : 09.09.2011**